

Receiving Report

Date: 10/4/7
 Supplier: MAGNA

Batch No: M114322
 Dart P/O: 11590

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☒ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 1260467 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin: 10/4/7
 Date
 Received/Costing
 Initial

Location



Magna Stainless

5775 Kieran St, Saint-Laurent QC H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

INVOICE

Pg 1 of 1 I025326

SOLD TO:

00003858
DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

MTR:Y

INVOICE DATE:	04/07/10
ORDER DATE:	04/06/10
SHIP DATE:	04/07/10
ORDER NUMBER:	W027755
PURCHASE ORDER:	P015590

Currency	Sales Person	Ship Via	F.O.B.	Terms
CANADIAN DOLLARS	ERYCK BLAIS	NIR:R-557065-1	PREPAID	NET 30 DAYS

Ln	Back Ordered	Ordered	Unit	Description	Shipped	Price Per	Value
		6	PC	ALUMINUM SHEET ASH 5052 H32 .063" x 48" x 96" C035199 6 PC/174 LB	6 UN	65.00	390.00

04/08/10 15:40:34

PST Exmp No:EXEMPT

Merchandise:	390.00
Surcharges:	
No Tax Costs:	
GST	19.50
Total Due:	409.50

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471
G.S.T. # 881565899 RT0001

Purchase Order Receipt Listing

April 07, 2010 9:58:12 AM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO11590 Receipt Dates from 4/7/2010 to 4/7/2010 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

[illegible]



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I025326

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY , ON
K6A 1K7
Contact: CHANTAL

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY , ON
K6A 1K7
Ship Terms: PREPAID



SPECIAL INSTRUCTIONS

Currency		Sales Person		Customer Phone	Customer Fax	Customer PO		
CANADIAN DOLLARS		ERYCK BLAIS		(613) 632-5200	(613) 632-1053	P015590		
Sales Order	Terms			Ship Via		Date Ordered	Date Required	Date Shipped
W027755	NET 30 DAYS			NIR:R-557065-1		04/06/10	04/07/10	04/07/10

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
6		PC	ALUMINUM SHEET ASH 5052 H32 .063" x 48" x 96" 174 LB / 6 PC	C035199	09107010A0	6
kids: 1				Approx	Weight:	174 LB

Received by: _____ Date: _____ Signature: _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO11590

Purchase Order Date 4/06/10

PO Print Date 4/06/10

Page Number 1 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

FAKED
6/2/10/4/10

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M2024T3S.063	2024-T3 .063 sheet	4/14/10 Yes	192.00 sf	Yours ppd	\$4.8958	\$939.99
		Special Inst: MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209					
2	M5052H32S.063	5052-H32 .063 Sheet	4/14/10 Yes	✓ 192.00 sf	Yours ppd	\$2.0312	\$389.99
		Special Inst: MATERIAL: 5052-H32 ALUMINUM SHEET AS PER QQ-A-250/8 OR AMS-QQ-A-250/8 OR AMS 4016 OR ASTM B209					
3	M6061T6S.080	6061-T6 .080 Sheet	4/14/10 Yes	288.00 sf	Yours ppd	\$4.4790	\$1,289.95
		Special Inst: MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A- 250/11 OR AMS 4025/AMS 4027 OR ASTM B209					

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 4/06/10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO11590

Purchase Order Date 4/06/10

PO Print Date 4/06/10

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

4	M6061T6B0.625X02.500	6061-T6 Bar .625 x 2.50	4/14/10	24.00	Yours ppd	\$7.9167	\$190.00
			Yes	f			

Special Inst:

MATERIAL: 6061-
T6/T651/T6510/T6511/T62
ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8
OR
AMS 4117/4128/4115/4116 OR QQ-A-200/8
AMS-QQ-A-200/8 OR AMS 4160 OR
ASTM B211 OR ASTM B221

PO Total:

\$2,809.94

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 4/06/10

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

0007836_09107010A0



CERTIFIED MILL TEST/QUALITY CONTROL CERTIFICATE

PT. ALUMINDO LIGHT METAL INDUSTRY, TBK

DS. SAWOTRATAP GEDANGAN SIDOARJO 61254, INDONESIA.

ORIGINAL

Customer	Address	Product Type
		PRIME ALUMINUM COIL

L/C NO.: RRRI-528276

DD.: 090910

October 14, 2009

ISSUED BY: JPMORGAN CHASE BANK, N.A.

CHICAGO, IL

RELEASE NUMBER: R131465

Description of Product

Crates No	Unique Heat Number	Dimension	Weight MT	Alloy	Temper	Al	Cu	Mg	Si	Fe	Mn	Zn	Ti	Cr	Elong (%)	UTS ksi	Yield ksi	Bend Test
	Standard	.020-.050 Thickness .051-.113 Thickness		5052 5052	H-32 H-32	remainder remainder	0.10 max 0.10 max	2.20-2.80 2.20-2.80	0.25 max 0.25 max	0.40 max 0.40 max	0.10 max 0.10 max	0.10 max 0.10 max	0.05 max 0.05 max	0.15-0.35 0.15-0.35	5 min 7 min	31.0-38.0 31.0-38.0	28.0 min 28.0 min	
6C	09107014C0	.050" X 48" X COIL	5.5910	5052	H-32	96.95	0.02	2.31	0.12	0.37	0.03	0.00	0.02	0.16	8	35.7	32.2	Good
14D	09107026E0	.063" X 48" X COIL	5.1440	5052	H-32	97.03	0.03	2.33	0.12	0.26	0.04	0.01	0.01	0.16	10	34.7	30.7	Good
15D	09107034C0	.063" X 48" X COIL	4.7970	5052	H-32	96.92	0.02	2.39	0.12	0.33	0.03	0.00	0.01	0.16	10	35.3	30.9	Good
16D	09106017E0	.063" X 48" X COIL	4.7820	5052	H-32	96.94	0.02	2.37	0.12	0.32	0.03	0.00	0.02	0.16	10	34.6	30.9	Good
17D	09107016E0	.063" X 48" X COIL	4.3940	5052	H-32	96.94	0.02	2.33	0.12	0.37	0.03	0.00	0.02	0.15	12	32.8	28.6	Good
18D	09107024B0	.063" X 48" X COIL	5.0040	5052	H-32	96.99	0.02	2.37	0.12	0.28	0.04	0.00	0.01	0.16	12	33.9	29.8	Good
19D	09107024C0	.063" X 48" X COIL	4.0770	5052	H-32	96.99	0.02	2.37	0.12	0.28	0.04	0.00	0.01	0.16	10	34.7	30.0	Good
20D	09107010A0	.063" X 48" X COIL	5.2790	5052	H-32	97.01	0.02	2.35	0.12	0.28	0.03	0.00	0.02	0.16	10	34.8	32.0	Good
21D	09107010D0	.063" X 48" X COIL	5.6030	5052	H-32	97.01	0.02	2.35	0.12	0.29	0.03	0.00	0.02	0.16	10	34.5	31.4	Good
22D	09106019D0	.063" X 48" X COIL	5.0640	5052	H-32	96.98	0.02	2.34	0.11	0.33	0.03	0.00	0.01	0.17	12	34.1	29.6	Good
23D	09107036C0	.063" X 48" X COIL	5.4940	5052	H-32	96.87	0.02	2.35	0.14	0.39	0.03	0.00	0.02	0.16	11	33.0	28.7	Good
24D	09106019C0	.063" X 48" X COIL	5.3370	5052	H-32	96.98	0.02	2.34	0.11	0.33	0.03	0.00	0.01	0.17	12	33.4	29.5	Good
25D	09107036D0	.063" X 48" X COIL	4.8770	5052	H-32	96.87	0.02	2.35	0.14	0.39	0.03	0.00	0.02	0.16	10	32.2	28.6	Good
26D	09107010E0	.063" X 48" X COIL	4.8030	5052	H-32	97.01	0.02	2.35	0.12	0.29	0.03	0.00	0.02	0.16	10	35.8	31.7	Good
10F	09107008D0	.080" X 48" X COIL	5.1990	5052	H-32	96.92	0.02	2.37	0.12	0.36	0.03	0.00	0.01	0.16	11	33.6	29.9	Good
11F	09106009D0	.080" X 48" X COIL	4.9850	5052	H-32	97.00	0.02	2.35	0.12	0.30	0.03	0.00	0.02	0.16	12	32.8	28.9	Good
12F	09107008A0	.080" X 48" X COIL	5.0640	5052	H-32	96.92	0.02	2.37	0.12	0.36	0.03	0.00	0.01	0.16	14	32.8	28.2	Good
13F	09106039C0	.080" X 48" X COIL	5.3900	5052	H-32	96.92	0.02	2.35	0.13	0.36	0.03	0.00	0.02	0.16	15	32.4	27.7	Good
14F	09106019A0	.080" X 48" X COIL	5.3750	5052	H-32	96.98	0.02	2.34	0.11	0.33	0.03	0.00	0.01	0.17	14	31.8	27.4	Good

AL00902545

Certif No: 09-1000101

PAGE 1 OF 2

Cent's
next
page
8

Crates No	Unique Heat Number	Dimension	Weight MT	Alloy	Temper	Al	Cu	Mg	Si	Fe	Mn	Zn	Ti	Cr	Elong (%)	UTS ksi	Yield ksi	Bend Test
	Standard	.020-.050 Thickness .051-.113 Thickness		5052 5052	H-32 H-32	remainder remainder	0.10 max 0.10 max	2.20-2.80 2.20-2.80	0.25 max 0.25 max	0.40 max 0.40 max	0.10 max 0.10 max	0.10 max 0.10 max	0.05 max 0.05 max	0.15-0.35 0.15-0.35	5 min 7 min	31.0-38.0 31.0-38.0	23.0 min 23.0 min	
15F	09107018B0	.080" X 48" X COIL	4.8320	5052	H-32	96.97	0.02	2.34	0.12	0.34	0.03	0.00	0.02	0.16	12	32.3	28.6	Good
16F	09106007A0	.080" X 48" X COIL	5.1770	5052	H-32	96.91	0.02	2.38	0.13	0.34	0.03	0.00	0.02	0.16	12	31.7	28.2	Good
17F	09106039D0	.080" X 48" X COIL	5.2830	5052	H-32	96.92	0.02	2.35	0.13	0.36	0.03	0.00	0.02	0.16	15	33.2	28.3	Good
1G	09107038D0	.090" X 48" X COIL	5.3460	5052	H-32	96.91	0.03	2.33	0.13	0.38	0.04	0.00	0.02	0.16	12	32.8	29.1	Good
2G	09106037C0	.090" X 48" X COIL	5.3800	5052	H-32	96.88	0.02	2.35	0.14	0.39	0.03	0.00	0.02	0.16	13	32.7	28.4	Good
3G	09107026B0	.090" X 48" X COIL	5.3810	5052	H-32	97.03	0.03	2.33	0.12	0.26	0.04	0.01	0.01	0.16	11	36.7	32.0	Good
4G	09107026C0	.090" X 48" X COIL	5.2170	5052	H-32	97.03	0.03	2.33	0.12	0.26	0.04	0.01	0.01	0.16	10	35.1	31.3	Good
5G	09107008C0	.090" X 48" X COIL	5.3730	5052	H-32	96.92	0.02	2.37	0.12	0.36	0.03	0.00	0.01	0.16	14	33.0	29.2	Good
1I	09106005A0	.125" X 48" X COIL	5.0240	5052	H-32	96.97	0.02	2.31	0.12	0.36	0.03	0.00	0.02	0.16	12	33.1	29.0	Good
3I	09106029A0	.125" X 48" X COIL	4.8560	5052	H-32	97.05	0.02	2.30	0.13	0.30	0.04	0.00	0.01	0.15	14	32.2	28.6	Good
4I	09097075C0	.125" X 48" X COIL	5.0070	5052	H-32	97.02	0.02	2.35	0.13	0.26	0.04	0.00	0.01	0.17	12	33.5	29.0	Good
5I	09106035D0	.125" X 48" X COIL	4.8990	5052	H-32	96.94	0.02	2.33	0.13	0.36	0.03	0.00	0.02	0.16	12	34.4	31.3	Good
6I	09107026A0	.125" X 48" X COIL	5.0520	5052	H-32	97.03	0.03	2.33	0.12	0.26	0.04	0.01	0.01	0.16	12	34.0	31.2	Good
7I	09106038A0	.125" X 48" X COIL	5.1500	5052	H-32	96.92	0.02	2.35	0.13	0.36	0.03	0.00	0.02	0.16	13	34.4	30.2	Good
8I	09107024E0	.125" X 48" X COIL	5.2420	5052	H-32	96.99	0.02	2.37	0.12	0.28	0.04	0.00	0.01	0.16	12	34.1	31.1	Good
9I	09106029C0	.125" X 48" X COIL	5.0710	5052	H-32	97.05	0.02	2.30	0.13	0.30	0.04	0.00	0.01	0.15	14	32.3	28.2	Good
10I	09106009B0	.125" X 48" X COIL	5.0420	5052	H-32	97.00	0.02	2.35	0.12	0.30	0.03	0.00	0.02	0.16	14	33.0	28.9	Good
11I	09097077C0	.125" X 48" X COIL	5.1470	5052	H-32	97.10	0.02	2.34	0.11	0.21	0.04	0.00	0.01	0.16	12	35.0	31.2	Good
12I	09106019B0	.125" X 48" X COIL	5.2030	5052	H-32	96.98	0.02	2.34	0.11	0.33	0.03	0.00	0.01	0.17	12	32.8	28.2	Good
3J	09106035B0	.125" X 60" X COIL	5.9780	5052	H-32	96.94	0.02	2.33	0.13	0.36	0.03	0.00	0.02	0.18	14	31.4	28.7	Good

INDICATING ACTUAL MILL CHEMICAL AND MECHANICAL PROPERTY TEST REPORTS

IN IMPERIAL NOMENCLATURE REQUIRED PER SKID INDICATING A UNIQUE HEAT NUMBER

ORIGINAL

8/10/07

PT. ALUMINDO METAL INDUSTRY
Ani Rahman
Q. Assurance

MATERIAL CONFORMS TO FOR ALLOY 5052, H-32 ALUMINUM ASSOCIATION
STANDARDS, ASTM B-209 AND AMS-QQ-A-250/8 SPECIFICATIONS IN ALL RESPECTS.